

CLADDING STONE

Natural as nature itself



WHAT YOU SHOULD KNOW ABOUT VASPO® TILES:

- All VASPO products are made of all-coloured, frost-resistant concrete of strength class C25/30 so they are equally suitable for use in the exterior and the interior.
- Tiles are lightened with expanded natural clay which also improves their thermal insulation properties.
- They have an unlimited service life.
- Colour fastness is guaranteed by the manufacturer of pigments for a period of at least 30 years, regardless of use.
- The tiles can also be permanently washed or submerged into water.
- The concrete mixture contains a component that significantly reduces the wash-up of calcium and the formation of the so-called blooms.
- Thanks to the technology used and the first-class selection of individual components, this is the highest quality facing stone.
- Own, unique mould technology.
- Health friendly.
- The high accuracy of the tiles enables their quick and efficient installation with subsequent easy maintenance.
- Thanks to the 44-year tradition of production of facing stone and our own, unique technology we are a clear leader in the field of quality and innovations.

GLUING OF TILES

The substrate for gluing must be dry, clean, cohesive and firm. In the case of excessively absorbent surface, we recommend treating the substrate with a primer. Depending on the substrate, the correct adhesive grout should be selected. For common surfaces, we recommend flexible glue C2TE or C2TE S1. Apply the glue with a notched trowel to the substrate. We recommend slightly moistening the back of the tile but not immersing it. Apply a thin layer of glue to the tile and push it into the substrate, gently tap it with a hammer to the final position.

GROUTING

The gap between the tiles (sandstone and brick) should be approximately 2 cm. Before grouting the tiles, the gap must be dry and clean.

HYDROFOBIZATION

For exterior HYDROFOBIZATION, we recommend using a colourless hydrophobic silicone coating. It is recommended to paint the interior with diluted universal dispersion for

building mixtures. After this adjustment, the colours of the tiles come to life and the abrasions from packaging will disappear! Contact us for more information.

CUTTING

Tiles can be easily cut with a standard circular saw for concrete.

EFFLORESCENCE

Due to excessive moisture, white spots may appear on the surface, which is called efflorescence. Technically, it cannot be prevented. The efflorescence does not affect performance.

DIFFERENCES IN COLOR

The tiles are made of natural materials that have minor colour differences. There may be a colour difference during manufacture. For these reasons, we cannot guarantee indifferences in shades of colour. We, therefore, recommend that you open more packages and take each one in turn. This avoids possible unwanted patterns and enhances the natural feeling.

DIMENSIONAL DEVIATIONS

Due to the exact imitation of chipped and drawn stone, the dimensions have a specifically allowed tolerance as with a natural stone.

Other technical data about VASPO STONE® cladding are available from the seller and at www.vaspostone.com



NOTE

The photographs do not represent the actual color due to technical printing limitations and different lighting conditions.





WHY EXCLUSIVE?

To achieve the most realistic imitation of natural stone colours, we use advanced technology. As a result, our cladding is virtually indistinguishable from natural stone. Each piece is carefully hand-coloured, making every cladding element unique. The exclusive colouring process ensures that this collection stands out with a perfect reflection of nature's diversity.

„Even Closer to Nature“

EXCLUSIVE COLLECTION



*EXCLUSIVE Wood
walnut*



35 kg/m² 0,5 m² 3,0 cm

*EXCLUSIVE Magura
multicolor*




32 kg/m² 1,0 m² 2,5 cm

*EXCLUSIVE Povazan
mocca*



49 kg/m² 0,5 m² 4,0 cm

*EXCLUSIVE Povazan
granit*



49 kg/m² 0,5 m² 4,0 cm

*EXCLUSIVE Javornik
onyx*



49 kg/m² 0,45 m² 5,0 cm

*EXCLUSIVE Slate Castle
forest*



48 kg/m² 0,5 m² 3,5 cm

*EXCLUSIVE Stone
Lodge mocca*



45 kg/m² 0,5 m² 4,5 cm



All cladding products in the EXCLUSIVE Collection are already surface-treated to withstand weather conditions. Therefore, no additional application of hydrophobic protection products is required. To enhance and revive the colours, the hydrophobic treatment Rucotec B-NF50 may be used. However, Lukofob-39 must not be used on products from the EXCLUSIVE Collection.

WHAT DOES ECONOMY MEAN?

The Economy Collection brings a revolution in cost efficiency. Its quality and technical parameters are identical to those of the standard product range. However, the manufacturing, packaging, and delivery processes have been optimized for greater efficiency.

The cladding products are packaged economically in larger packs, which helps reduce costs while also minimizing the environmental footprint. The production process is more time-efficient, enabling a shorter and more cost-effective manufacturing process.

"Efficient, Economical, Advantageous"

ECONOMY COLLECTION



*ECONOMY Stone Tematin
rustikque*



40 kg/m² 0,5 m² 3,0 cm

*ECONOMY Decorstone Rattan
black*



37 kg/m² 0,5 m² 2,5 cm

*ECONOMY Travertine Karpaty
grey*



44 kg/m² 0,5 m² 3,5 cm

*ECONOMY Slate
brown*



22 kg/m² 1,0 m² 1,5 cm

*ECONOMY Stone MIX
green*



32 kg/m² 1,0 m² 3,0 cm

ECONOMY Sandstone 3



30 kg/m² 1,0 m² 3,0 cm

ECONOMY Sandstone 2



33 kg/m² 1,0 m² 3,0 cm

*ECONOMY Venezia
capuccino*



27 kg/m² 1,5 m² 1,5 cm

*ECONOMY Venezia
andezit*



 27 kg/m²  1,5 m²  1,5 cm

*ECONOMY Slate Quarry
antracit*



 30 kg/m²  1,0 m²  2,5 cm

*ECONOMY Slate
mocca*



 22 kg/m²  1,0 m²  1,5 cm

*ECONOMY Stone
andezit*



 38 kg/m²  0,5 m²  3,0 cm

ECONOMY

WHAT IS THE STANDARD COLLECTION?

Cladding products with a manufacturing tradition dating back to 1981, proven by decades of quality and reliability. For our customers, they represent confidence and dependability that can be trusted even many years after installation. They bring a classic appearance, durability, and timeless style to any space.

CLASSIC STANDARD COLLECTION



Dedicated Corner Piece

Each stone also serves as a corner piece.

Rock brown



 45 kg/m²  0,5 m²  4,5 cm

Rock antracit



 45 kg/m²  0,5 m²  4,5 cm

Rock green



 45 kg/m²  0,5 m²  4,5 cm

Vrsatec brown



 48 kg/m²  0,5 m²  4,0 cm

Stone Omar brown



 50 kg/m²  0,47 m²  4,5 cm

Stone Omar black



 50 kg/m²  0,47 m²  4,5 cm

Stone black



 38 kg/m²  0,5 m²  3,0 cm

Stone beige brown



 38 kg/m²  0,5 m²  3,0 cm

Stone beige



 38 kg/m²  0,5 m²  3,0 cm

Stone brown



38 kg/m² 0,5 m² 3,0 cm

Stone Povazan grey



 49 kg/m²  0,5 m²  4,0 cm

Stone Povazan brown



 49 kg/m²  0,5 m²  4,0 cm

Stone Povazan black



 49 kg/m²  0,5 m²  4,0 cm

Stone Povazan white



 49 kg/m²  0,5 m²  4,0 cm

Stone Lodge grey



 45 kg/m²  0,5 m²  4,5 cm

Stone Lodge brown



 45 kg/m²  0,5 m²  4,5 cm

Decorstone Wood II. pine



  
31 kg/m² 1,0 m² 2,5 cm

Decorstone Wood II. chestnut



  
31 kg/m² 1,0 m² 2,5 cm

Decorstone Wood oak



  
30 kg/m² 0,5 m² 2,5 cm

Javornik



  
49 kg/m² 0,45 m² 5,0 cm

Travertine weathered



  
38 kg/m² 0,5 m² 3,0 cm

Travertine Roma beige



  
33 kg/m² 1,0 m² 2,0 cm

Travertine Roma black



  
33 kg/m² 1,0 m² 2,0 cm

Sandstone 5



  
53 kg/m² 0,5 m² 4,0 cm

Brick terracotta



  
24 kg/m² 1,0 m² 2,0 cm

Brick rustique



  
24 kg/m² 1,0 m² 2,0 cm

Brick antracit



  
24 kg/m² 1,0 m² 2,0 cm

Brick antique



  
24 kg/m² 1,0 m² 2,0 cm

Slate Castle grey



  
48 kg/m² 0,5 m² 3,5 cm

Slate Castle brown



  
48 kg/m² 0,5 m² 3,5 cm

Slate Castle beige



  
48 kg/m² 0,5 m² 3,5 cm

Slate Magura



  
32 kg/m² 1,0 m² 2,5 cm

Slate Fatima golden



  
42 kg/m² 0,5 m² 3,5 cm

Slate Fatima purple



  
42 kg/m² 0,5 m² 3,5 cm

Slate grey



  
22 kg/m² 1,0 m² 1,5 cm

Slate varicolor



  
22 kg/m² 1,0 m² 1,5 cm

Cleft slate grey



  
31 kg/m² 1,0 m² 2,0 cm

Rock flame



  
44 kg/m² 0,5 m² 4,5 cm

Rock light



  
44 kg/m² 0,5 m² 4,5 cm

Laugaricio rust



  
48 kg/m² 0,5 m² 4,0 cm

CORNER PIECES

VASPO Corner Pieces are designed for creating corners. If the cladding description states: **EVERY CLADDING PIECE IS ALSO A CORNER PIECE.**

These cladding pieces have both side edges finished. Therefore, every individual cladding piece can be used for finishing corners.


1.) standard cladding piece + standard cladding piece



2.) corner piece + standard cladding piece



3.) short corner piece + long corner piece



FENCE CAPS

The color range of the fence caps includes: lodge grey, lodge brown, multi brown, dark brown, dark grey, multi sand, multi brick, beige, mocca, and granite.



PILLAR CAP

The side-finished textured relief is applied on three sides. When using 2 pillar caps with equal overhang, the recommended pillar size is 38 x 25 cm.

Dimensions: 25 cm length x 37 cm width x 7 cm thickness. **Weight per piece:** 13 kg.



SLATE PAVING – Granite / Mocca

Slate terrace paving is a frost-resistant concrete paving designed for pedestrian use. It features a non-slip surface. Spacer ribs on the side edges ensure even installation with an approximately 4 mm joint.

Dimensions: 31.8 cm length x 20 cm width x 2.5 cm thickness. **Weight:** 3 kg.



EXTENDER CAP

The side-finished textured relief is applied on two opposite sides. It is used to extend pillar caps or as a cap for wider walls ranging from 15 cm to 30 cm in width.

Dimensions: 24.5 cm length x 37 cm width x 7 cm thickness. **Weight per piece:** 13 kg.



DECORSTONE WOOD PAVING - Oak

The paving is manufactured exclusively for pedestrian use. It has the shape of a regular square measuring 39 x 39 cm, ensuring easy installation.

Dimensions: 39 cm length x 39 cm width x 4 cm thickness. **Weight:** 12 kg.



WALL CAP

The side-finished textured relief is applied on two opposite sides. With equal overhang on both sides, the recommended wall width is from 7 cm to 15 cm.

Dimensions: 39 cm length x 24 cm width x 7 cm thickness. **Weight per piece:** 13 kg.



DECORSTONE WOOD EDGING - Oak

Used for finishing lawn areas. It is installed along the lawn edges just below ground level. The lawn edging can be laid easily in both straight lines and curves.

Dimensions: 24 cm length x 12 cm width x 4 cm thickness. **Weight:** 2.5 kg.

WINDOW FRAMES – Beige



The window frames are made of high-quality concrete. Their main function is to highlight architectural features around windows and add a stylish appearance to the building. They provide an elegant and durable way to decorate a house façade.

Dimensions: 50 cm length x 13 cm height x 6.5 cm thickness. **Weight:** 6.5 kg





Technical data of CLADDING (updated 04/2026)											Technical data of CORNER PIECES				
Cladding type		Cladding color	Dimensions in cm		Thickness in cm	Packaging m² per box	Number of pieces per m²		Approx. weight of 1 m² in kg	number of m² on a 120 x 80 pallet	The weight of the tile on the pallet (kg)	Corner piece dimensions for cladding in cm		Corner piece weight in kg	Number of corner pieces per box
Sandstone	ECONOMY Sandstone 2	sandstone	36,0x23,5 23,5x17,0 36,0x10,7 23,5x10,7 23,5x23,5 10,7x10,7		3	1	5 types of dimensionally different stones, 4 pcs each; size 36 x 23,5: 3 pcs		33	24	814	—			
	ECONOMY Sandstone 3	sandstone	6,5 x 23,4 half a piece: 6,5 x 11,6		3	1	62 full pieces + 4 halves		30	32	982	13 x 6,5	0,3	105	
	Sandstone 5	sandstone	40,0x13,4 40,0x6,7 15,0x6,7 25,0x6,7		4	0.5	40 pcs, in four different sizes		53	18	976	each cladding piece is also a corner piece			
Slate	ECONOMY Slate	brown	19,5 x 9,7 half a piece: 9,7 x 9,7		1.5	1	53 full pieces + 1 half		22	40	902	—			
	Slate	grey	19 x 9,5		1.5	1	55 full pieces + 2 halves		22	40	902				
	ECONOMY Slate	mocca	19 x 9,5		1.5	1	55 full pieces + 2 halves		22	40	902				
	ECONOMY Quarry Slate	antracit	9,7 x 19,5 half a piece: 9,7 x 9,7		2.5	1	53 full pieces + 1 half		30	24	742				
	Cleft Slate	grey	35,0x23,4 35,0x11,6 23,4x23,4 23,4x11,6 23,4x17,4 11,6x11,6		2	1	24 pcs = 6 dimensionally different types, 4 pcs each.		31	32	1014				
	EXCLUSIVE Castle	forest	37 x 14,5		3.5	0.5	16 full pieces + 2 pairs of corner pieces		48	18	886	long 38,5 x 14,5 short 23 x 14,5	3 & 1,7	5 pairs	
	Castle	brown, grey, beige	37,5 x 8,8		3.5	0.5	30 full pieces + 2 pairs of corner pieces		42	20	862	long 19,8 x 8,8 short 11,2 x 8,8	0,8 & 0,4	16 pairs	
	Fatima	purple, golden	38,5 x 6,8 29 x 6,8 19,5 x 6,8		2.5	1	54 full pieces		32	28	920	each cladding piece is also a corner piece			
	Magura														
	EXCLUSIVE Magura	multicolor													
Stone	Stone	beige-brown	36 x 10,7		3	0.5	26 full pieces + 2 corner pieces		38	20	782	19 x 10,7	0.8	26	
		brown, beige, black													
	ECONOMY Stone	andezit	39,9 x 18,5		3	1	13 full pieces + 1 corner piece		32	24	790	22,5 x 18,5	1,4	23	
	Povazan	black, white, brown, grey	37,5 x 6,7		4	0.5	40 full pieces + 2 pairs of corner pieces		49	16	806	long 20,5 x 6,7 short 11,5 x 6,7	0,7 & 0,3	24 pairs	
	EXCLUSIVE Povazan	mocca, granit													
	Omar	brown, black	stones 5.7 cm and 3.7 cm high have different lengths		4.5	0.47	0.47 m² consists of 18 pcs with height 5.7 cm and 18 pcs with height 3.7 cm		50	18.8	962	each cladding piece is also a corner piece			
	EXCLUSIVE Lodge	mocca	stones with height 10.8 cm and lengths 39.0, 23.5 and 15.5 cm, 6 pcs of each		4.5	0.5	36 pcs = 3 dimensionally different types, 12 pcs each.		45	20	922	each cladding piece is also a corner piece			
	Lodge	brown, grey													
Travertine	Travertine	weathered	38,0 x 22,5		3	0.5	12 full pieces		38	20	782	21,5 x 22,5	1.8	11	
	ECONOMY Karpaty	grey	40 x 10,8		3.5	0.5	22 full pieces + 2 pairs of corner pieces		44	20	902	long 21,8x10,8 short 17,5x10,8	1,0 & 0,8	12 pairs	
	Roma	beige, black	35,0x23,4 35,0x11,6 23,4x23,4 23,4x11,6 23,4x17,4 11,6x11,6		2	1	24 pcs = 6 dimensionally different types, 4 pcs each.		33	32	1078	each cladding piece is also a corner piece			
Rock	Vrsatec	brown	35 x 10,6 half a piece: 19,4x10,6		4	0.5	26 full pieces + 2 halves = also used as corner pieces		48	16	790	19,4 x 10,6	0.9	22	
	Rock	brown green, antracit	40 x 10,8		4.5	0.5	1 m² consists of 22 pcs + 2 corner pieces		45	20	922	23,5 x 10,8	1.1	22	
	Rock	flame, light	38,8 x 8,6		4.5	0.5	1 m2 consists of 30ks + 2 corner pieces		44	20	902	21,5 x 8,6	0.9	26	
	Laugaricio	rust	38,8 x 8,6		4	0.5	1 m2 consists of 30 ks + 2 corner pieces		48	20	982	21,5 x 8,6	0.9	26	
	ECONOMY Tematin	rustikque	37,5 x 18,5 half a piece: 20 x 18,5		3	0.5	14 full pieces + 2 halves = also used as corner pieces		40	20	822	20 x 18,5	1.4	14	
	Javornik		39,5x13,2 half a piece: 19,5 x 13,2		5	0.45	0.45 m² contains 8 full pieces + 2 halves = also used as corner pieces		49	16.2	816	each cladding piece is also a corner piece			
	EXCLUSIVE Javornik	onyx													
	Brick		terracotta, antique, rustique, antracit	20,5 x 6 half a piece: 14,5 x 6 +/- 5mm		2	1	58 full pieces + 4 halves; 1 m² is covered area including 1.5 cm joints		24	40	982	each cladding piece is also a corner piece		
Decorstone	ECONOMY Rattan	black	39 x 8,8 half a piece: 20,5 x 8,8		2.5	0.5	30 full pieces + 2 halves = also used as corner pieces		37	25	947	each cladding piece is also a corner piece			
	Wood	oak	38,7 x 10,6		2.5	0.5	1 m² = 20 full pieces, 2 pairs of corner pieces		30	28	865	long 38,8x10,6 short 20,8x10,6	1,3 & 0,6	8 pairs	
	Wood II.	pine, chestnut	58,7x12,9 33,7x12,9 25x12,9 58,7x8,6 33,7x8,6 25x8,6		2.5	1	6 types of dimensionally different stones, 4 pcs each		31	32	1014	each cladding piece is also a corner piece			
	EXCLUSIVE Wood	walnut	50,5 x 8		3	0.5	0.5 m² consists of 11 full pieces + 2 corner pieces		35	20	755	25,5 x 8	0.7	24	
ECONOMY Venezia		cappuccino, andezit	55,8 x 18,5 55,8 x 10,8 55,8 x 7,7 37,0 x 18,5 37,0 x 10,8 37,0 x 7,7 18,5 x 18,5 26,2 x 10,8 26,2 x 7,7 18,5 x 10,8 18,5 x 7,7 10,8 x 10,8 10,8 x 7,7		1.5	1.5	1 m² contains 30 cladding pieces in various sizes. One box contains 1.5 m²: 45 cladding pieces in various sizes.		27	36	1000	each cladding piece is also a corner piece			

Technical data of ACCESSORIES and FENCES (updated 04/2026)												
ACCESSORIES	Wood paving	oak	39 x 39	4	-	6.5 pieces per m²	12kg /pc	100 pcs		sold per piece		
	Wood edging	oak	24 x 12	4	-	1 linear meter = 4 pcs	2,5kg /pc	360 pcs				
	Slate paving	mocca, granit	31,8 x 20	2,5	-	16 pieces per m²	3 kg /pc			sold per piece		
	Concrete window frames	beige	left upper profile (l)50x(w)13x(h)6,5cm left bottom profile (l)50x(w)13x(h)6,5cm right bottom profile (l)50x(w)13x(h)6,5cm center profile (l)50x(w)13x(h)6,5cm	left bottom profile (l)50x(w)13x(h)6,5cm center profile (l)50x(w)13x(h)6,5cm right upper profile (l)50x(w)13x(h)6,5cm inner reveal (l)50x(w)20x(h)2,5cm		left upper profile 6,4 kg/pc, left bottom profile 6 kg/pc right upper profile 6,4 kg/pc, right bottom profile 6 kg/pc center profile 6,3 kg/pc, inner reveal 4,3 kg/pc	sold per piece					
	Concrete Fence Caps	pillar cap, wall cap , extender cap	COLORS: lodge grey, lodge brown, multi brown, dark brown, dark grey, multi sand, multi brick, beige, mocca, and granite.							weight: 13 kg		

The Slovak company VASPO® STONE, s.r.o. is a family business operating on the market since 1990. However, the development dates back to 1981 when the first Pieskovec tiles were made.

The main product is the production of perfect imitations of natural stone of the highest quality on the market. The production process is relatively time-consuming and labour-intensive, but only thanks to these a high trueness of imitation is achieved while maintaining excellent technical properties. The resulting colour effect on the surface is the same throughout the cross-section, which guarantees almost unlimited colour fastness, durability, and together with even the finest capillaries, documents the uniqueness of the technology used.

The creed and motivation of the company VASPO is to bring customers an affordable and technically more perfect replacement of natural stone, which, thanks to its appearance, reminds of the age-old connection of the human with nature.



Our products are made using green energy. We strive to minimize our environmental footprint in the production process itself by using renewable energy from our own photovoltaic power plant.

HUMANITY

"Your satisfaction is actually our satisfaction."

FAIRNESS

"We are not looking for excuses but a solution."

TRUST

"We maintain honesty with each other and confidence in the quality of our products."

GREEN

FOOTPRINT

"Being in harmony with nature is our priority."



*Bet on
lasting
beauty...*

VASPO STONE, s.r.o.

Bánovská 1013
913 21 Trenčianska Turná
Slovakia

  +421/ 32 658 5218

 +421/ 950 595 871

 +421/ 907 124 262

 vaspo@vaspo.sk

 www.facebook.com/VASPOSTONE

 www.vaspo.sk

 www.vaspostone.com



© VASPO STONE 2023&